




know & love
timber

COMPLETE PROFILE RANGE

f @portatimber @porta_timber

Porta.com.au



1300 650 787
sales@porta.com.au

COMPLETE PROFILE RANGE

Porta is a proudly Australian-owned and locally operated company with an extensive heritage spanning over 90 years. We take great pride in our legacy of manufacturing and distributing a wide range of timber products, meticulously crafted from various certified local and imported timber species.

Our core competency at Porta lies in leveraging our expertise in timber to source, mill, and create innovative and distinctive designs suitable for a wide range of internal and external applications. We are dedicated to delivering top-quality timber, moulding, and design solutions to the construction industry, making us a trusted name in the field.

Porta is dedicated to sourcing timber from sustainable and environmentally responsible forests, holding Chain of Custody under internationally recognised and accredited organisations.



The mark of
responsible forestry



Ask for our certified range.

© Porta Mouldings Pty Ltd

Timber is a natural material with colour variations and features within the same species. It is important these natural characteristics are considered when creating design applications. The images featured in this brochure are indicative only and may vary from the actual colour of the timber.

We've taken every precaution to provide accurate information in this brochure, but please note that we may modify or discontinue products as part of our ongoing product development. For the most up-to-date information, including product availability, claims, and pricing, please confirm at the time of purchase.

Porta DAR and Dowel

in Clear Pine and

Dowel in Tasmanian Oak



DISCOVER YOUR PRODUCT

Unlock product codes



DAR - 2012 ■ ■

You can locate the product code within this brochure.

The letters correspond to the profile name code.

For example, this product is Dressed All Round (DAR).

The number represents the profile size.

The first two or three numbers always correspond to the profile HEIGHT (e.g. 20mm). The last two numbers always correspond to the profile WIDTH (e.g. 12mm).

DAR - 2012 ■ ■

Coloured squares show the available timber species.

For example, this product is available in Tasmanian Oak, Eucalyptus Grandis, and Clear Pine.

Timber colour key

- | | | |
|---|--|---|
| ■ Tasmanian Oak | ■ Engineered American Oak | ■ Spruce |
| ■ Eucalyptus Grandis | ■ Clear Pine | ■ Primed FJ Pine |
| ■ Meranti | ■ General Purpose Pine | ■ H3 Primed FJ Pine |

Locate products in-store

DRESSED ALL ROUND (DAR)

Application —


Moulding Type —

Dimensions —

Timber Species —

Dimensions & Image —

Square Dressed
20x12mm
Eucalyptus Grandis



20mm
12mm



IMAGE NOT TO SCALE

Timber Colour Key —

Certification —


Length —

2.4m

Porta Contours









Riverine profile
in Tasmanian Oak













CONTENTS

Porta Timber Species	6-7
General Purpose Moulding	8-9
Decorative Ceiling and Wall Trim	10-11
Dressed Boards	12-14
Dowels	15
Architraves and Skirting	16-18
Handrails	19
Windows and Doors	20-21
Outdoor Timber	22-23
Porta Contours	24
Portaline	26

PORTA TIMBER SPECIES

	Tasmanian Oak	Eucalyptus Grandis	Meranti	American Oak
				
Key features	<p>A blend of Eucalyptus species, Tasmanian Oak ranges from straw to reddish-brown, with hints of cream and pink. It boasts a uniform, smooth texture and a straight, even grain.</p>	<p>Showcasing soft pinks and peach tones, it reveals unique character with insect trails and pinholes. The grain is predominantly straight and uniform.</p>	<p>A light red hardwood suitable for painting or staining. Variations in colour may occur due to multiple species sold as Meranti.</p>	<p>American Oak is light in colour, ranging from straw tones to mottled mid-brown. Its grain is typically straight, marked by distinctive growth rings.</p>
Classification	Hardwood	Hardwood	Hardwood	Hardwood
Applications	Indoor Suitable for wet areas*	Indoor Suitable for wet areas*	Indoor Suitable for wet areas*	Indoor Suitable for wet areas*
Certification				

*Installation in wet areas must comply with specified requirements according to AS 3740:2021, and NCC Vol 1 F1.7 or Vol 2 3.8.1.

Clear Pine	General Purpose Pine	Spruce	Primed FJ Pine	H3 Primed FJ Pine
				
<p>Light straw-coloured softwood, knot-free and more manageable than knotty pine. It takes well to staining, painting, waxing, or colour washing.</p>	<p>This Pine is graded as Standard and Better, allowing for knots and resin pockets. It can be painted, stained, colour washed, waxed, or left in its raw state.</p>	<p>This species has pale sapwood, contrasting with reddish-brown heartwood marked by prominent growth rings and a fine, straight grain.</p>	<p>Porta Primed Finger-Jointed Pine offers a cost-effective, ready-to-paint real timber substrate, made from Clear Pine with enhanced strength and stability.</p>	<p>This Finger-Jointed Clear Pine product is fortified with H3 LOSP treatment for termite and fungal resistance and comes pre coated with a green, water-based primer.</p>
Softwood	Softwood	Softwood	Softwood	Softwood
Indoor Suitable for wet areas*	Indoor Suitable for wet areas*	Indoor Suitable for wet areas*	Indoor Suitable for wet areas*	Outdoor Above ground
 <small>The mark of responsible forestry</small>	 <small>The mark of responsible forestry</small>	 <small>The mark of responsible forestry</small>	 <small>The mark of responsible forestry</small>	 <small>The mark of responsible forestry</small>

GENERAL PURPOSE MOULDINGS

Ovolo



OVL-12 ■



OVL-19 ■



OVL-30 ■■

Tri Quad



TQD-8 ■



TQD-12 ■■



TQD-18 ■



TQD-19 ■■■

Quad



QD-6 ■



QD-9 ■



QD-12 ■■■



QD-15 ■■



QD-18 ■■
QD-19 ■■■■



QD-23 ■■



QD-25 ■■



QD-30 ■

Highly adaptable, our versatile general-purpose timber mouldings are well-suited for various projects. Our collection includes edging, external corners, quads, and decorative architectural shapes in various sizes.

Cornice and Scotia



SCO-18 ■



SCO-19 ■



SCO-30 ■■■■■

Edging



REC-20 ■■



REC-30 ■■■■■



LIP-2207 ■

Round External Corner

Shelf Lipping Edging

Coverstrap



RDE-2005 ■



BNE-2008 ■



RDE-3005 ■



RDE-3008 ■■■■



RDE-3108 ■



RDE-4005 ■■



RDE-4008 ■■



RDE-4108 ■

Rounded Edging

DECORATIVE CEILING AND WALL TRIM

Insert Mould



INS-1207 ■



INS-1511 ■ ■



INS-1811 ■



INS-2308 ■



INS-2318 ■



INS-3111 ■

Panel Mould



PM-1206 ■



PM-2009 ■



PM-3012 ■



PM-3115 ■



PM-3318 ■



PM-4018 ■

Our decorative ceiling and wall trims can elevate a room's design, adding texture and character. Our diverse range spans classic to retro, colonial to modern styles, enabling you to effortlessly craft your ideal room.

Chair Rails, Picture Rails and Dado Rails



GCR-6525 ■

Chair Rail



PR-6524 ■



PRT-4018 ■

Picture Rail



GD-6426 ■



SHD-4015 ■



SHD-3015 ■■



VD-3031 ■

Dado Rail

Picture Framing



PFP-1919 ■



PFP-2819 ■



PFP-3019 ■



PFP-3119 ■




PFP-3521 ■



PFP-4530 ■

DRESSED BOARDS

Dressed All Round (DAR)



Dressed timber undergoes machining on all sides, resulting in a smooth surface. Porta offers a comprehensive selection, including DAR (Dressed All Round), which serves as the fundamental building material for a wide array of renovation, carpentry, and DIY projects.

Dressed All Round (DAR)

DAR-3018
 DAR-3118

DAR-4018
 DAR-4118
 DAR-4218
 DAR-4219

DAR-6419
 DAR-6518
 DAR-6618
 DAR-6718

DAR-8919
 DAR-9018
 DAR-9118
 DAR-9218

DAR-11018

DAR-11419
 DAR-11518

DAR-13818
 DAR-14019

DAR-18419
 DAR-18518

DAR-23519
 DAR-28519

Tasmanian Oak = Eucalyptus Grandis = Meranti = Clear Pine =
 General Purpose Pine = Primed FJ Pine = H3 Primed FJ Pine = Premium Pine =

DRESSED BOARDS

Dressed All Round (DAR)



DAR-4221 ■

DAR-4230 ■

DAR-7030 ■

DAR-9030 ■

DAR-14030 ■

DAR-18530 ■



DAR-4242 ■ ■

DAR-7045 ■

DAR-9045 ■

DAR-14040 ■

DOWELS

Porta's dowels offer versatility for functional and decorative use. Ideal for handrails, coat holders, pegboards, and more. With various sizes available, they're perfect for any project or application.

Dowels



DOW-04 ■



DOW-06 ■ ■



DOW-08 ■ ■



DOW-09 ■ ■
(actual size = 9.5mm)



DOW-12 ■ ■
(actual size = 12.7mm)



DOW-16 ■ ■



DOW-19 ■ ■



DOW-22 ■



DOW-25 ■ ■
(actual size = 25.4mm)



DOW-30 ■ ■
(actual size = 28.6mm)



DOW-35 ■ ■



DOW-43 ■ ■
(actual size = 42.4mm)



DOW-50 ■ ■

Round Dowel



FB-1806 ■
Fly Bead



HR-1206 ■



HR-3012 ■

Half Round Dowel

ARCHITRAVES AND SKIRTING

Architraves and Skirting



BVA-4211 ■



BVA-6611 ■



BVA-6618 ■



BVA-9211 ■



BVA-9218 ■

Bevelled



BNA-4118 ■

BNA-4218 ■



BNA-4211 ■



BNA-6611 ■



BNA-6618 ■



BNA-9218 ■

Bullnose



COA-4211 ■



COA-6611 ■

Colonial (Tabma:AS10)

Porta's architraves and skirting range aids in establishing a cohesive framework for your home decor theme. Skirting boards shield your walls from daily wear and tear, while architraves serve a functional role by concealing the gaps between wall lining, door jambs, or window frames.

Architraves and Skirting



COA-4118 ■
COA-4218 ■



COA-6618 ■ ■



COA-9118 ■
COA-9218 ■



COA-13818 ■

Colonial (Tabma:AS2)



HSA-6618 ■ ■



HSA-9218 ■

Half Splayed

ARCHITRAVES AND SKIRTING

Architraves and Skirting



PRA-4112 ■



PRA-4118 ■



PRA-4211 ■



PRA-4218 ■



PRA-6611 ■

PRA-6612 ■



PRA-6618 ■ ■

Pencil Round



SLA-6618 ■



SLA-9218 ■



LTA-6618 ■



LTA-9218 ■

Shadow Line

Lambs Tongue

HANDRAILS

Handrail System - Utilise With The 43mm Dowel (Dow-43)



0-70° Adjustable Bend

HDRADJ10030BLK

HDRADJ10031643



90° Bend

HDRBEND65304BLK

HDRBEND6531643



Wall Bracket

HDRBRAC70304BLK

HDRBRAC7031643



End Cap

HDRCAP30304BLK

HDRCAP3031643



Joiner

HDRJOIN50304BLK

HDRJOIN5031643



Alignment Jig

HDRJIG31643

Handrails



HRS-7029 ■

Rectangle



HRS-7031 ■

Oval



HRS-4433 ■

Round



DOW-43 ■ ■

Dowel

WINDOWS AND DOORS

Window and Door Profiles



PTB-2009 ■

Parting Bead



STB-2015 ■

Staff Bead



STB-3015 ■



DS-4212 ■

Door Stop



BGB-1209 ■



BGB-1510 ■



SGB-0808 ■



RGB-1109 ■



BGB-1912 ■ ■



BGB-3012 ■

Glass Bead (Bevel/Sash/Rounded)



RTA-5030 ■



RTA-5030 PIFP ■



RTA-4530 PIFP ■

Rounded
T Astragal




WM-3019 ■


Window
Mould

Porta's window and door moulding range is your go-to for professional results, no matter the project's size. Whether you're adding finishing touches to a window trim or installing a new door jamb, you'll discover a profile or style to suit your project requirements.


Door Jams




DJF-11218 ■



DJF-9218 ■



DJS-11019 ■




DJS-12019 ■

Single Door Jamb Set (Loose Stop)



DJSR-1103038 ■



DJSR-923038 ■

Single Door Jamb Set (Rebated)

OUTDOOR TIMBER


Dressed All Round (DAR)




DAR-1818




DAR-3011




DAR-4211



DAR-6611




DAR-9211




DAR-3118




DAR-3131



DAR-4218




DAR-4242




DAR-6618



DAR-9218




DAR-11018



DAR-13818

Handrails




HBR-6666




HLW-6666



HLW-8542



HBT-6642



HMD-6642

Bread Loaf Profile

Ladies Waist Profile

Bottom Rail

Mid Rail

Porta's external pine products undergo H3 LOSP (Light Organic Solvent Preservative) treatment, enhancing their resilience against termite and fungal risks. This treatment guarantees long-lasting durability and suitability for above-ground use, even when facing exposure to harsh environmental conditions.

General Purpose Mouldings



Fascia



PORTA CONTOURS



RIVERINE LIN A7821



CIRQUE LIN B7821



STRATA LIN D7821



GROOVE LIN F7821



RIPPLE LIN G7821



PINNACLE LIN H7821



RIDGES LIN J7821



WAVE LIN L7821



SHADE LIN M7821



ISTHMUS LIN X7821



RIVERINE CBA3916



CIRQUE CBB3916



STRATA CBD3916



RIPPLE CBG3916



WAVE CBL3916

Curved Wall Beads

Ready to Paint Pre-Primed Pine



RIVERINE LIN A7821



CIRQUE LIN B7821



STRATA LIN D7821



SHADE LIN M7821



RIVERINE CBA3916



CIRQUE CBB3916



STRATA CBD3916

Curved Wall Beads



Porta Contours
Isthmus profile
in Tasmanian Oak

PORTA CONTOURS SPECIFICATIONS

LINING BOARDS

Width 91mm | Thickness 21mm | Cover 78mm

Profile	Code	0.9m (L)	1.2m (L)	1.8m (L)	2.4m (L)	2.7m (L)	3.0m (L)
Riverine	LINA7821	●	●	●	●	●●●●●●●●	●
Cirque	LINB7821	●	●	●	●	●●●●●●●●	●
Strata	LIND7821	●	●	●	●	●●●●●●●●	●
Groove	LINF7821	●	▲	▲	▲	●●	
Ripple	LING7821		▲	▲	▲	●▲	
Pinnacle	LINH7821		▲	▲	▲	●●●●	
Ridges	LINJ7821	▲	▲	▲	▲	●▲	
Wave	LINL7821	▲	●	●	▲	●●●●	
Shade	LINM7821	●	▲	▲	▲	●●●●●●	●
Isthmus	LINX7821					●●	

CURVED WALL BEADS

Width 39mm | Thickness 16mm

Profile	Code	0.9m (L)	1.2m (L)	1.8m (L)	2.4m (L)	2.7m (L)	3.0m (L)
Riverine	CBA3916	●				●●●●●●●●	●
Cirque	CBB3916	●				●●●●●●●●	●
Strata	CBD3916	●				●●●●●●●●	●
Ripple	CBG3916	▲				●▲	
Wave	CBL3916	●				●●●●	

- Tasmanian Oak - Select Grade
- Tasmanian Oak - Feature Grade
- Engineered American Oak Veneer
- Clear Pine
- Primed FJ Pine
- ▲ Made to Order
- ▲ Made to Order

We are here to help with your specific needs. For custom lengths and made to order products, please contact our Customer Service team at **1300 650 787** or email **sales@porta.com.au** to place your order and get more information about lining boards.

PORTALINE

Timber Lining Boards Width 91.5mm | Thickness 12mm | Cover 84mm | Length 2.7m



DUNE LIN8412 ■



PEAK LINU8412 ■



MESA LINW8412 ■

Curved Wall Beads Width 28mm | Thickness 12mm | Length 2.7m



DUNE CBT2812 ■



PEAK CBU2812 ■



MESA CBW2812 ■

Timber Lining Boards Width 140mm | Thickness 12mm | Cover 133mm | Length 2.7m



VJ / REGENCY LINV13312 ■ ■



VJ / SHIPLAP LIN13312 ■



Portaline
VJ Regency profile
in Primed Pine

Portaline
Peak profile
in Primed Pine





know & love
timber

1300 650 787
sales@porta.com.au
Porta.com.au

f @portatimber

@ @porta_timber

p portatimber

